
WhisperKOOL XLT Ducting Options

Features and Benefits

The ducting option's function is to move warm air away from the WhisperKOOL unit.

Enhances efficiency of the WhisperKOOL unit by preventing the warm air to (from) reentering the unit.

Great for small areas that are prone to heat build-up such as a closet or a garage.



The ducting unit has the ability to rotate

Easily direct the exhaust in a variety of directions



The secret to the ducting unit is it's inline fan

Capable of moving hot air through 25 feet of ducting

Fan automatically turns on before the unit overheats



Assembly Process

The assembly process for the ducting unit is extremely simple

Any handyman can install the ducting unit

First:

- Remove the five screws which will hold the ducting unit in place
- One screw is located at the topcenter
- A pair of screws are located at the top-right and the top-left
- Another pair of screws are located mid-right and mid-left

Second:

- Move the ducting unit in place
- Line up the screw holes on the ducting unit with the screw holes on the WhisperKOOL XLT
- Screw the ducting unit onto the WhisperKOOL XLT starting with the top center screw
- Then the top-right and top-left screws





• Then the bottom right and the bottom left screws

After Installation

Plug the unit in.

The fan will not instantly turn on. Instead, a heat sensor will detect when the unit begins to heat up which will trigger the fan to regulate temperature.

The customer will need to purchase the 8" flex ducting, along with any hangers needed to run the ducting outside.

WhisperKOOL XLT Ducting Option

- Great for Small Areas
- Powerful In-line Fan
- Prevents Overheating



- Reliable
- Easy to Install
- Maximizes Efficiency